



Download from
Dreamstime.com

This watermarked comp image is for previewing purposes only.



ID 35103813

© Yulia Gapeenko | Dreamstime.com

[Driver Portatil Samsung Np355e4c-a03co](#)

Table 1. Baseline Characteristics of the Patients Who Underwent Randomization.*

| Characteristic | Ticagrelor plus Placebo (N = 3555) | Ticagrelor plus Aspirin (N = 3564) |
|---|---------------------------------------|---------------------------------------|
| Age — yr | 65.2±10.3 | 65.1±10.4 |
| Female sex — no. (%) | 846 (23.8) | 852 (23.9) |
| Nonwhite race — no. (%)† | 1110 (31.2) | 1086 (30.5) |
| Body-mass index‡ | 28.6±5.5 | 28.5±5.6 |
| Enrolling region — no. (%) | | |
| North America | 1484 (41.7) | 1488 (41.8) |
| Europe | 1251 (35.2) | 1258 (35.3) |
| Asia | 820 (23.1) | 818 (23.0) |
| Diabetes mellitus — no. (%) | 1319 (37.1) | 1301 (36.5) |
| Diabetes treated with insulin — no. (%) | 335 (9.4) | 374 (10.5) |
| Chronic kidney disease — no./total no. (%)§ | 572/3410 (16.8) | 573/3425 (16.7) |
| Anemia — no./total no. (%) | 675/3405 (19.8) | 654/3423 (19.1) |
| Current smoker — no./total no. (%) | 726/3553 (20.4) | 822/3562 (23.1) |
| Hypercholesterolemia — no. (%) | 2157 (60.7) | 2146 (60.2) |
| Hypertension — no./total no. (%) | 2580/3555 (72.6) | 2574/3563 (72.2) |
| Peripheral arterial disease — no. (%) | 245 (6.9) | 244 (6.8) |
| Previous myocardial infarction — no. (%) | 1020 (28.7) | 1020 (28.6) |
| Previous PCI — no. (%) | 1502 (42.3) | 1496 (42.0) |
| Previous CABG — no./total no. (%) | 362/3554 (10.2) | 348/3564 (9.8) |
| Multivessel coronary artery disease — no. (%) | 2272 (63.9) | 2194 (61.6) |
| Previous major bleeding event — no. (%) | 31 (0.9) | 32 (0.9) |
| Indication for PCI — no./total no. (%) | | |
| Asymptomatic | 234/3554 (6.6) | 223/3563 (6.3) |
| Stable angina | 1047/3554 (29.5) | 999/3563 (28.0) |
| Unstable angina | 1249/3554 (35.1) | 1245/3563 (34.9) |
| NSTEMI | 1024/3554 (28.8) | 1096/3563 (30.8) |

* Plus-minus values are means ±SD. Percentages may not total 100 because of rounding. CABG denotes coronary artery bypass graft, NSTEMI non-ST-segment elevation myocardial infarction, and PCI percutaneous coronary intervention.

† Race was reported by the patient.

‡ The body-mass index is the weight in kilograms divided by the square of the height in meters.

§ Chronic kidney disease was defined as an estimated glomerular filtration rate of less than 60 ml per minute per 1.73 m² of body-surface area.



Download from
Dreamstime.com

This watermarked comp image is for previewing purposes only.



ID 35103813

© Yulia Gapeenko | Dreamstime.com

Descarga drivers samsung al instante, sin complicaciones y en español! ... Portátiles > Samsung, Win 7x32Bits, Win XP. 19/08/10, Samsung N 140. Placas base Mantener el software Samsung NP355E4C NP355E4C-A03CO actualizado ... Update Samsung NP355E4C (NP355E4C-A03CO) Drivers in One-Click with 14,0" Series 3 Ultraportátil NP355E4C. Soluciones y Consejos, Descargar el Manual, Contáctenos. Samsung Soporte CO.. Teclado Samsung Np355e4c Np355u4c Np355v4c Np350v4c Español. \$ 79.900 Flex Usb Boton Encendido Portatil Samsung Np355e4c. \$ 34.800. 36x \$ BOARD REVISION 00 NP355E4C-A03CO (P02ABG.005.CF): ... En esta página puede descargar driver para SAMSUNG ELECTRONICS CO., LTD.. Encuentra todo para Portatil Samsung Np355e4c A03co - Computación en Mercado Libre Colombia. Descubre la mejor forma de comprar online.. Hola compañeros, tengo un grave problema. Resulta que un cliente estaba inconforme con el sistema operativo que trajo su portátil, así que Win7 NP355E4C-A02CL alguien tiene los drivers para notebook samsung ... driver adecuado en Portatil Samsung para Windows.15:45. a03co. notebook driver portatil samsung np300e4c, driver portatil samsung, driver para portatil samsung np300e4c, driver portatil samsung np300e4x, driver Samsung NP355E4C-A04VE RECAMBIO PANTALLAS DE LCD DE PORTÁTIL DE \$46.99. Asegúrese de que esa nueva pantalla de reemplazo tiene el mismo ... ab2f6753c0